



DECLARATION OF PERFORMANCE

Nº. DoP: 02

1. Product KOBERT-IN FR

A panel with a nominal thickness of 4 mm, composed of a 3.4 mm thick polyethylene core with mineral fillers, coated on the front and back with 0.3 mm aluminum sheets (ACP).

Kobert-In FR is available in the following finishes: *Sabbia, Specchio, and Ultramatt.*

2. Name and address

BARNIZADOS INDUSTRIALES S.A.
Calle Cuarte Norte, 22
Santa Bárbara -Tarragona
SPAIN

3. Use provided Wallcovering panels for internal use in buildings

4. Evaluation of system System AVCP 3

5. Technical specifications harmonized EN 17104:2021

6. Notified body

Notified body	Nº. NB	Test report	Date
AIDIMME	1981	251.I.1806.061.ES.01	June 6 th , 2018
AIDIMME	1981	251.C.1806.061.ES.01	June 6 th , 2018
Normec Product Testing	2695	SPT2022-R122	May 17 th , 2022
Normec Product Testing	2695	SPT2022-R290	December 30 th , 2022



DECLARATION OF PERFORMANCE

Nº. DoP: 02

7. Performance declarations

Essential characteristics		Performance
Reaction to fire		B-s1,d0
VOC emission	<i>Specchio y Ultramatt Sabbia</i>	0,04 mg/m³ 0,5 mg/m³
Emission of formaldehyde		E1
Migration of heavy metals	Antimony (Sb) Barium (Ba) Selenium (Se)	0,040 mg/kg conforming conforming
Impact resistance		E _h > 15 J
Sound absorption	<i>Specchio y Ultramatt Sabbia</i>	$\alpha_p = 0,05$ $\alpha_p = 0,1$
Thermal resistance		0,01 m²·K/W

- The performance of the product identified in item 1 are in conformity with the declared performance in item 7.
- This declaration of performance is issued under the sole responsibility of the manufacturer indicated in item 2.
- Signed for and on behalf of the manufacturer by: Carlos Sabaté Balsells

Tarragona, March 6th, 2023

BARINSA
BARNIZADOS INDUSTRIALES, S.A.
CIF A-43098383
C/ Cuartel Norte, 22
Tel. 977 71 80 00 - Fax 977 71 82 61
43570 SANTA BARBARA (Tarragona)



DECLARATION OF PERFORMANCE

Nº. DoP: 01

1. Product KOBERT-IN PE

A panel with a nominal thickness of 4 mm, composed of a 3.6 mm thick polyethylene core with mineral fillers, coated on the front and back with 0.2 mm aluminum sheets (ACP).

Kobert-In PE is available in the following finishes: *Sabbia, Specchio, and Ultramatt.*

2. Name and address

BARNIZADOS INDUSTRIALES S.A.
Calle Cuarte Norte, 22
Santa Bárbara -Tarragona
SPAIN

3. Use provided Wallcovering panels for internal use in buildings

4. Evaluation of system System AVCP 3 and 4

5. Technical specifications harmonized EN 17104:2021

6. Notified body

Notified body	Nº. NB	Test report	Date
AIDIMME	1981	999.I.2302.002 EN.02	February 10th, 2023
Normec Product Testing	2695	SPT2022-R122	May 17 th , 2022
Normec Product Testing	2695	SPT2022-R290	December 30 th , 2022



DECLARATION OF PERFORMANCE

Nº. DoP: 01

7. Performance declarations

Essential characteristics		Performance
Reaction to fire		C-s2,d0
VOC emission	<i>Specchio y Ultramatt Sabbia</i>	0,04 mg/m² 0,5 mg/m²
Emission of formaldehyde		E1
Migration of heavy metals	Antimony (Sb) Barium (Ba) Selenium (Se)	0,040 mg/kg conforming conforming
Sound absorption	<i>Specchio y Ultramatt Sabbia</i>	$\alpha_p = 0,05$ $\alpha_p = 0,05$
Thermal resistance		0,01 m²·K/W

- The performance of the product identified in item 1 are in conformity with the declared performance in item 7.
- This declaration of performance is issued under the sole responsibility of the manufacturer indicated in item 2.
- Signed for and on behalf of the manufacturer by: Carlos Sabaté Balsells

Tarragona, March 6th, 2023

(Technical Director)
BARINSA
BARNIZADOS INDUSTRIALES, S.A.
CIF A-43098383
Cuartel Norte, 22
Tel. 977 71 80 00 - Fax 977 71 82 61
43570 SANTA BARBARA (Tarragona)